




Go With The Flow



www.sukindia.com

PRICE LIST 2020




South India's Largest
Water Tanks Selling Company

W.E.F. 1st April, 2020



Go With The Flow



COMPANY OVERVIEW

Quality & Trust are not just words for us. We constantly worked on improving product quality to embark on the trust we have with our customers.

We at SUKI have embraced this trust that makes us as the no.1 choice for water solutions. From our nascent decades as South-India's most trusted water solutions company, we have cherished and practiced this commitment.

- S** - Supply and Storage Solutions
- U** - Understanding needs
- K** - Keen on Technical Advancements
- I** - Innovation and Development Continuity with Dedication
- P** - Products with par Quality
- I** - Intricate water solutions
- P** - Provides best services with a diversified portfolio
- E** - Excellent Quality





Go With The Flow

Why Choose SUKI ?



Advance Machinery



Fastest delivery at
desired Location



Dedicated 24/7 customer
service




15 Years
of Trust

South India's most
trusted brand since
15 Years



100% inspection of all
incoming raw materials



Largest product portfolio
for Water Supply, storage
& Sanitary



Go With The Flow


CPVC Pipes & Fittings



Pipes as per
IS : 15778
(SDR 11 & 13.5)

Fittings as per
ASTM D 2846
(SDR 11)

Ideal for



Hot & Cold
Water



Suitable Upto


93° C

PRODUCT RANGE

Pipes : 1/2" - 2"
Fittings : 1/2" - 2"



Go With The Flow



CPVC PIPES AND FITTINGS

Suki CPVC Pipes & fittings are used for potable water transportation, these pipes are manufactured using copper tube sizes(CTS) making a easy to replace Copper / Iron pipes. These pipes are manufactured in two different standard dimensional ratio of SDR -11 and SDR-13.5.

EXTENSIVELY USED IN



MALLS




RESIDENTIAL



HOSPITALS



HOTELS



HIGHLIGHTERS

- Light weight and easy installation.
- Suitable for use upto 93°C.
- No scaling or bacterial growth.
- Life span of more than 50 years.
- Fire Resistance and self extinguishing.
- Ultimate for Hot & Cold water usage.
- Excellent resistance to chemicals.

APPLICATION

- Use for Indoor & outdoor with hot & cold water applications (From 0°C to 93°C only).
- All Residential & commercial buildings.
- Public utilities, swimming pools, RO and industrial applications.
- For concealed, down take & terrace looping.

JOINTING METHOD

- Solvent Joint and threaded joint.




CPVC Pipes & Fittings




Pipes as per IS 15778 (SDR 11 & 13.5)


HSN Code : 3917




Pipes SDR 11 (3 mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC1001	100	146.7
3/4"	20	SC1002	40	222.9
1"	25	SC1003	25	363.3
1 1/4"	32	SC1004	20	551.1
1 1/2"	40	SC1005	15	785.4
2"	50	SC1006	10	1304.8



Pipes SDR 11 (5 mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC1007	100	244.5
3/4"	20	SC1008	40	371.5
1"	25	SC1009	25	605.5
1 1/4"	32	SC1010	20	918.5
1 1/2"	40	SC1011	15	1309
2"	50	SC1012	10	2174.6



Pipes SDR 13.5 (3 mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC1013	100	126
3/4"	20	SC1014	40	199.2
1"	25	SC1015	25	316.5
1 1/4"	32	SC1016	20	468.9
1 1/2"	40	SC1017	15	668.64
2"	50	SC1018	10	1102.2



Pipes SDR 13.5 (5 mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC1019	100	210
3/4"	20	SC1020	40	332
1"	25	SC1021	25	527.5
1 1/4"	32	SC1022	20	781.5
1 1/2"	40	SC1023	15	1114.4
2"	50	SC1024	10	1837

Fittings as per ASTM D 2846 (SDR 11)

HSN Code : 3917



Coupler				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0033	120 x 7	7.2
3/4"	20	SC0034	100 x 7	9.8
1"	25	SC0035	50 x 7	17.2
1 1/4"	32	SC0036	35 x 7	30.8
1 1/2"	40	SC0037	25 x 7	58.6
2"	50	SC0038	10 x 7	114.0



TEE				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0001	70 x 6	11
3/4"	20	SC0002	55 x 6	21.1
1"	25	SC0003	30 x 6	33.8
1 1/4"	32	SC0004	15 x 6	51.6
1 1/2"	40	SC0005	10 x 6	117.2
2"	50	SC0006	5 x 6	199.4

CPVC Pipes & Fittings



Fittings as per ASTM D 2846 (SDR 11)

HSN Code : 3917



Elbow 90°				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0022	100 x 6	10.2
3/4"	20	SC0023	80 x 6	12.8
1"	25	SC0024	45 x 6	24.5
1 1/4"	32	SC0025	25 x 6	48.9
1 1/2"	40	SC0026	15 x 6	87.9
2"	50	SC0027	6 x 6	199.0



Female Threaded Adapter				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0057	100 x 7	12.2
3/4"	20	SC0058	80 x 7	20.6
1"	25	SC0059	45 x 7	30.4
1 1/4"	32	SC0060	25 x 7	68.4
1 1/2"	40	SC0061	15 x 7	91.8
2"	50	SC0062	12 x 7	147.5



Union				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0069	50 x 7	41.4
3/4"	20	SC0070	40 x 7	69.7
1"	25	SC0071	25 x 7	98.2
1 1/4"	32	SC0072	15 x 7	125.7
1 1/2"	40	SC0073	12 x 7	227.8
2"	50	SC0074	5 x 7	471.8



Male Threaded Adapter				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0051	120 x 7	8.8
3/4"	20	SC0052	100 x 7	14.7
1"	25	SC0053	50 x 7	23.0
1 1/4"	32	SC0054	40 x 7	34.2
1 1/2"	40	SC0055	20 x 7	51.8
2"	50	SC0056	15 x 7	103.6
3/4 x 1/2	20x15	SC0096	130X6	17.3



End Cap				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0063	120 x 7	6.2
3/4"	20	SC0064	100 x 7	9.4
1"	25	SC0065	90 x 7	13.2
1 1/4"	32	SC0066	55 x 7	45.4
1 1/2"	40	SC0067	35 x 7	40.5
2"	50	SC0068	12 x 7	106.0



Socket Tank Nipple				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0075	50 x 6	40.1
3/4"	20	SC0076	40 x 6	40.1
1"	25	SC0077	30 x 6	60.6
1 1/4"	32	SC0078	20 x 6	-
1 1/2"	40	SC0079	15 x 6	-
2"	50	SC0080	8 x 6	-

CPVC Pipes & Fittings



Fittings as per ASTM D 2846 (SDR 11)

HSN Code : 3917



Elbow 45°

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc.(₹)
3/4"	20	SC0031	75x6	21.4
1"	25	SC0032	45 x 6	34.0



Step Over Bend (Moulded)

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0099	20X6	-
3/4"	20	SC0100	15X6	69.9
1"	25	SC0101	10X6	129



Reducer Coupler

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc.(₹)
3/4"x1/2"	20x15	SC0039	100 X 7	13.7
1"x1/2"	25x15	SC0040	70 X 7	19.6
1" x 3/4"	25x20	SC0041	70X7	21.6
1 1/4" x 1"	32x25	SC0042	40 X 7	44.9
1 1/4" x 3/4"	32x20	SC0043	40 X 7	51.0
1 1/2" X 1"	40x25	SC0044	30 X 7	83.4
1 1/2" X 1 1/4"	40x32	SC0045	25 x 7	65.5
2"x1/2"	50x15	SC0046	15 X 7	166.8
2"x3/4"	50x20	SC0047	15 X 7	191.7
2"x1"	50x25	SC0048	15 X 7	140.7
2"x1 1/4"	50x32	SC0049	15 X 7	161.7
2"x1 1/2"	50x40	SC0050	15 X 7	167.6



Reducer Tee

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc.(₹)
3/4"x1/2"	20x15	SC0007	60X6	29.9
1"x1/2"	25x15	SC0008	30X6	46.2
1" x 3/4"	25x20	SC0009	30 X 6	45
1 1/4" x 1/2"	32x15	SC0010	15X6	112.9
1 1/4" x 3/4"	32x20	SC0011	15X6	127
1 1/4" x 1"	32x25	SC0012	15X6	94
1 1/2" X 1/2"	40x15	SC0013	12X6	189.7
1 1/2" X 3/4"	40x20	SC0014	12X6	156.94
1 1/2" X 1"	40x25	SC0015	12X6	160.9
1 1/2" X 1 1/4"	40x32	SC0016	10X6	159
2x1/2"	50x15	SC0017	5X7	343
2x3/4"	50x20	SC0018	5X7	362
2x1"	50x25	SC0019	5X7	334
2x1 1/4"	50x32	SC0020	5X7	389.2
2x 1 1/2"	50x40	SC0021	5X7	349



Reducer Elbow

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x1/2"	20x15	SC0028	80X6	16.3
1" x 3/4"	25x20	SC0029	40x6	34.6

Fittings as per ASTM D 2846 (SDR 11)

HSN Code : 3917



Reducing Bush

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x 1/2"	20x15	SC0081	100 X 7	7.0
1" x 1/2"	25x20	SC0082	100 X 7	16.0
1" x 3/4"	25x15	SC0083	100 X 7	12.5
1-1/4" x 1/2"	32x15	SC0084	50x6	23.0
1-1/4" x 3/4"	32x20	SC0085	50x6	22.0
1-1/4" x 1"	32x25	SC0086	50x6	18.5
1-1/2" x 1/2"	40x15	SC0087	30X6	43.5
1-1/2" x 3/4"	40x20	SC0088	30X6	35.0
1-1/2" x 1"	40x25	SC0089	30X6	35.0
1-1/2" x 1-1/4"	40x32	SC0090	30X6	26.0
2" x 1/2"	50x15	SC0091	20X6	66.5
2" x 3/4"	50x20	SC0092	20X6	66.0
2" x 1"	50x25	SC0093	20X6	66.0
2" x 1-1/4"	50x32	SC0094	20X6	67.0
2" x 1-1/2"	50x40	SC0095	20X6	60.0



Brass Female Threaded Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0122	40 x 5	47.9
3/4"	20	SC0123	40 x 5	87.9
1"	25	SC0124	25 x 5	112.4
1-1/4"	32	SC0125	20 X 5	222.8
1-1/2"	40	SC0126	10 X 5	300.9
2"	50	SC0127	10 X 5	415.2
3/4" x 1/2"	20x15	SC0128	50 x 5	45.9
1" x 1/2"	25x15	SC0129	50 x 5	64.5
1" x 3/4"	25x20	SC0130	40 X 5	76.2



Hexa Brass Male Threaded Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4 "	20	SC0146	15X6	125.3
1"	25	SC0147	10X6	199.5
3/4" x 1/2"	20x15	SC0148	20X6	82.35
1" x 1/2"	25x15	SC0149	20X6	-
1 x 3/4 "	25x20	SC0150	15X6	-



Brass Male Threaded Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0114	40 x 5	66.4
3/4 "	20	SC0115	40 x 5	87.9
1"	25	SC0116	25 x 5	166.1
1 x 1/2"	25x15	SC0156	40 x 5	83.4
3/4" x 1/2"	20x15	SC0117	50 x 5	68.4
1 1/4"	32	SC0118	20 X 5	283.3
1 1/2"	40	SC0119	10 X 5	376.1
1 x 3/4 "	25x20	SC0120	40 X 5	144.6
2"	50	SC0121	10 X 5	527.6



Hexa Brass Female Threaded Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4 "	20	SC0151	15X6	125.7
1"	25	SC0152	10X6	197.9
3/4" x 1/2"	20x15	SC0153	20X6	-
1" x 1/2"	25x15	SC0154	20X6	-
1 x 3/4 "	25x20	SC0155	15X6	-

CPVC Pipes & Fittings



Fittings as per ASTM D 2846 (SDR 11)

HSN Code : 3917



Brass Elbow				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0111	50 x 5	41
3/4"	20	SC0112	40 x 5	64.5
1"	25	SC0113	25 x 5	162.2
3/4" x 1/2"	20x15	SC0108	50 x 5	42
1" x 1/2"	25x15	SC0109	30 x 5	75.2
1" x 3/4"	25x20	SC0110	20 x 5	146



Concealed Stop cock				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4"	20	SC0142	--	920
1"	25	SC0143	--	1030



CPVC Solvent cement				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
59 ml	-	SC0131	30 X 8	80
118 ml	-	SC0132	24 X 6	132
237 ml	-	SC0133	12 X 8	224
473 ml	-	SC0134	12 X 4	380
946 ml	-	SC0135	6 X 4	666



Brass Tee				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x 1/2"	20x15	SC0102	40 x 5	52.8
1" x 1/2"	25x15	SC0103	40 x 5	82.1
1" x 3/4"	25x20	SC0104	30X5	132.9
1/2"	15	SC0105	50 x 5	52.8
3/4"	20	SC0106	30 x 5	76.2
1"	25	SC0107	20 x 5	145.6



CPVC Ball valve				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SC0136	--	83
3/4"	20	SC0137	12 X 16	117.4
1"	25	SC0138	9 X 12	166.3
1-1/4"	32	SC0139	7 X 12	317.9
1-1/2"	40	SC0140	--	537.9
2"	50	SC0141	--	782.4



Go With The Flow



Go With The Flow

uPVC Pipes & Fittings

Fittings : Schedule 40 as per
ASTM D -2466; Schedule 80
As per ASTM D-2467

Pipes : Schedule 40 & 80 - As per
ASTM D -1785 (Plain Ended)

Ideal for




Cold Water

PRODUCT RANGE

Pipes : 1/2" - 3"
Fittings : 1/2" - 3"



Go With The Flow



uPVC PIPES AND FITTINGS

uPVC ASTM-D Pipes & Fittings are an innovatively designed piping system for Cold Water application only. It has an array of advantages which promise low thermal conductivity, fire resistance, chemical and corrosion free pipes. They are strong, durable, long lasting and cost effective when compared to other materials.

EXTENSIVELY USED IN



MALLS




RESIDENTIAL



HOSPITALS



HOTELS



HIGHLIGHTERS

- Easy to handle and install.
- Low pipe expansions when compared to other materials.
- Rugged, tough yet light in weight.
- Moulded with accuracy to match the pipes.
- Fire Resistance and self extinguishing.
- Low pipe expansions when compared to other materials.
- Manufactured from high quality PVC compound.

APPLICATION

- Swimming pools. Delivers clean potable water.
- Saline water transportation.
- Appropriate for sugar & paper industries.
- Piping system for chemicals (for specified chemicals & cold temp).

JOINTING METHOD

- Solvent Joint and threaded joint.




uPVC Pipes & Fittings




Pipes


HSN Code : 3917




uPVC Pipe Sch 40 (3 Mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU4001	50	127.2
3/4"	20	SU4002	30	161.7
1"	25	SU4003	25	236.4
1 1/4"	32	SU4004	15	332.1
1 1/2"	40	SU4005	12	398.1
2"	50	SU4006	8	532.8



uPVC Pipe Sch 40 (6 Mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU4007	25	254.4
3/4"	20	SU4008	20	323.4
1"	25	SU4009	15	472.8
1 1/4"	32	SU4010	10	664.2
1 1/2"	40	SU4011	8	796.2
2"	50	SU4012	6	1065.6




uPVC Pipe Sch 80 (3 Mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU4013	50	152.7
3/4"	20	SU4014	30	218.4
1"	25	SU4015	25	299.4
1 1/4"	32	SU4016	15	413.1
1 1/2"	40	SU4017	12	499.8
2"	50	SU4018	8	664.2




uPVC Pipe Sch 80 (6 Mtr)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU4019	25	305.4
3/4"	20	SU4020	20	436.8
1"	25	SU4021	15	598.8
1 1/4"	32	SU4022	10	826.2
1 1/2"	40	SU4023	8	999.6
2"	50	SU4024	6	1328.4

Fittings

HSN Code : 3917



Coupler				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3009	100 x 6	6.0
3/4"	20	SU3010	50 x 6	9.0
1"	25	SU3011	40 x 6	14.5
1 1/4"	32	SU3012	25 x 5	21.5
1 1/2"	40	SU3013	20 x 5	29.1
2"	50	SU3014	10 x 5	42.8
2 1/2"	65	SU3015	-	83.3
3"	80	SU3016	-	144.6



TEE				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3001	50 x 5	11.6
3/4"	20	SU3002	40 x 5	17.3
1"	25	SU3003	20 x 5	26.6
1 1/4"	32	SU3004	10 x 7	42.3
1 1/2"	40	SU3005	7 x 7	58.2
2"	50	SU3006	5 x 7	96.9
2 1/2"	65	SU3007	-	200.8
3"	80	SU3008	-	281.2

Fittings

HSN Code : 3917



Elbow

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P./ Pc. (₹)
1/2"	15	SU3025	60 x 6	7.7
3/4"	20	SU3026	50 x 6	11.2
1"	25	SU3027	30 x 5	19.4
1 1/4"	32	SU3028	15 x 5	32.7
1 1/2"	40	SU3029	10 x 5	41.9
2"	50	SU3030	5 x 5	70.4
2 1/2"	65	SU3031	-	152.3
3"	80	SU3032	-	222.9




End Cap

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P./ Pc. (₹)
1/2"	15	SU3041	150 x 7	4.1
3/4"	20	SU3042	100 x 7	6.2
1"	25	SU3043	60 x 7	10.2
1 1/4"	32	SU3044	30 x 5	16.6
1 1/2"	40	SU3045	25 x 5	19.4
2"	50	SU3046	20 x 5	31.2
2 1/2"	65	SU3047	-	72.3
3"	80	SU3048	-	101.6



Male Threaded Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P./ Pc. (₹)
1/2"	15	SU3033	120 x 6	4.7
3/4"	20	SU3034	80 x 6	6.8
1"	25	SU3035	50 x 6	11.4
1 1/4"	32	SU3036	35 x 5	17.4
1 1/2"	40	SU3037	30 x 5	22.5
2"	50	SU3038	10 x 5	33.7
2 1/2"	65	SU3039	-	84.0
3"	80	SU3040	-	115.2




Four Way Tee

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P./ Pc. (₹)
1/2"	15	SU3056	-	17.4



Thread Elbow

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P./ Pc. (₹)
1/2"	15	SU3055	60 x 6	9.2




Ideal for




Cold Water

Fittings


HSN Code : 3917




Union				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3049	50 x 6	22.5
3/4"	20	SU3050	30 x 6	31.9
1"	25	SU3051	15 x 6	40.0
1 1/4"	32	SU3052	10 x 5	57.5
1 1/2"	40	SU3053	10 x 5	84.8
2"	50	SU3054	5 x 5	121.9



Elbow 45°				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3077	60 x 6	6.7
3/4"	20	SU3078	50 x 6	10.8
1"	25	SU3079	25 x 6	17.4
1 1/4"	32	SU3080	-	29.0
1 1/2"	40	SU3081	-	38.0
2"	50	SU3082	-	58.0



Female Threaded Adapter				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3017	120 x 6	5.8
3/4"	20	SU3018	80 x 6	8.0
1"	25	SU3019	35 x 6	12.3
1 1/4"	32	SU3020	30 x 5	20.4
1 1/2"	40	SU3021	20 x 5	26.6
2"	50	SU3022	10 x 5	38.8
2 1/2"	65	SU3023	-	84.9
3"	80	SU3024	-	112.2



Long Bend 90°				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3083	-	17.4
3/4"	20	SU3084	-	25.1
1"	25	SU3085	-	40.0
1 1/4"	32	SU3086	-	69.0
1 1/2"	40	SU3087	-	88.9
2"	50	SU3088	-	143.5



Socket Tank Nipple				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3071	50 x 6	17.4
3/4"	20	SU3072	30 x 6	23.5
1"	25	SU3073	25 x 6	39.7
1 1/4"	32	SU3074	15 x 6	53.1
1 1/2"	40	SU3075	10 x 6	63.4
2"	50	SU3076	5 x 6	92.0



Step over Bend (Moulded)				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3090	-	35.00
3/4"	20	SU3091	-	55.00



Threaded Tee				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3089	-	19.3

Fittings

HSN Code : 3917



Long Plug Bush				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3070	100 x 10	3.0



Reducing Bush				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4"x1/2"	20x15	SU3057	100 x 6	3.4
1" x 1/2"	25x15	SU3058	100 x 5	7.5
1" x 3/4"	25x20	SU3059	100 x 5	5.5
1-1/4"x1/2"	32x15	SU3060	50 x 5	15.3
1-1/4" x 1"	32x25	SU3061	50 x 5	9.7
1-1/2" X 1"	40x25	SU3062	40 x 5	15.9
1-1/2" X 1-1/4"	40x32	SU3063	40 x 5	11.4
2" X 1/2"	50x15	SU3064	20 x 5	29.7
2" X 1"	50x25	SU3065	20 x 5	29.8
2" X 1-1/2"	50x40	SU3066	20 x 5	24.6




Reducer Elbow				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x 1/2"	20x15	SU3067	50 x 6	14.3
1" x 1/2"	25x15	SU3068	40 x 6	23.6
1" x 3/4"	25x20	SU3069	30 x 6	25.5



Brass Elbow				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	20	SU3136	50 x 6	44.9
3/4"	25	SU3137	40 x 6	69.4
1"	32	SU3138	20 x 5	115.4



Reducer Tee				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4"x1/2"	20x15	SU3092	30 x 6	16.9
1"x1/2"	25x15	SU3093	20 x 6	26.1
1" x 3/4"	25x20	SU3094	20 x 6	26.6
1 1/4" x 3/4"	32x15	SU3095	-	48.0
1 1/4" x 1"	32x25	SU3096	-	47.0
1 1/2" X 1/2"	40x15	SU3097	-	54.2
1 1/2" X 3/4"	40x20	SU3098	-	66.2
1 1/2" X 1"	40x25	SU3099	-	61.3
2x 1/2"	50x15	SU3100	-	83.8
2" X 1"	50x25	SU3101	-	92.0
2" X 1 1/2"	50x40	SU3102	-	89.1



Reducer				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4"x1/2"	20x15	SU3103	60 x 6	9.2
1"x1/2"	25x15	SU3104	50 x 6	13.3
1" x 3/4"	25x20	SU3105	50 x 6	13.4
1 1/4" x 1"	32x25	SU3106	20 x 6	22.5
1 1/2" X 1"	40x25	SU3107	-	29.6
1 1/2" X 1 1/4"	40x32	SU3108	-	30.7
2"x1 1/4"	50x32	SU3109	10 x 5	42.9
2"x1 1/2"	50x40	SU3110	-	45.0



Brass Tee				
Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3119	40 x 5	47
3/4"	20	SU3120	25 x 5	77.7
1"	25	SU3121	15 x 5	127.8

Fittings

HSN Code : 3917



Brass Male Threaded Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3111	50 x 5	61.3
3/4 "	20	SU3112	30 x 5	92
1"	25	SU3113	20 x 5	130.8
1 1/4	32	SU3114	15 x 5	290.2
1 1/2"	40	SU3115	10 x 5	346.5
2"	50	SU3116	5 x 5	520.2
2 1/2"	65	SU3117	-	1122.7
3"	80	SU3118	-	1522.6



Reducer Brass Male Thread Adaptor

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x 1/2"	20x15	SU3125	40 x 5	75.6
1" x 1/2"	25x15	SU3126	30 x 5	85.8
1" x 3/4"	25x20	SU3127	25 x 5	-



Reducer Brass Elbow

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x 1/2"	20x15	SU3139	30 x 5	47
1" x 1/2"	25x15	SU3140	20 x 5	59.3
1" x 3/4"	25x20	SU3141	20 x 5	77.7



Brass Female Threaded Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3128	50 x 5	42.9
3/4 "	20	SU3129	40 x 5	67.5
1"	25	SU3130	25 x 5	102.2
1 1/4	32	SU3131	15 x 5	192.1
1 1/2"	40	SU3132	10 x 5	270.8
2"	50	SU3133	5 x 5	357.7
2 1/2"	65	SU3134	-	653.3
3"	80	SU3135	-	1200



Reduce Brass Female Thread Adapter

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x 1/2"	20x15	SU3142	50 x 5	45
1" x 1/2"	25x15	SU3143	40 x 5	53.1
1" x 3/4"	25x20	SU3144	40 x 5	-



Reducer Brass Tee

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
3/4" x 1/2"	20x15	SU3122	20 x 5	52.1
1" x 1/2"	25x15	SU3123	15 x 5	65.4
1" x 3/4"	25x20	SU3124	10 x 5	86.9



uPVC Ball valve

Size (Inch)	Size (mm)	Code	Std. Packaging	M.R.P/ Pc. (₹)
1/2"	15	SU3145	20 x 20	59.4
3/4"	20	SU3146	14 x 20	79.2
1"	25	SU3147	8 x 20	99
1-1/4"	32	SU3148	-	163.4
1-1/2"	40	SU3149	-	247.5
2"	50	SU3150	-	366.3



Go With The Flow

SWR Pipes & Fittings



Fittings as per
IS : 14735




Pipes as per
IS : 13592

PRODUCT RANGE

Pipes : 40mm - 160mm
Fittings : 75mm - 160mm



Go With The Flow



SWR PIPES AND FITTINGS

Suki SWR Pipes are Cost-effective and World-Class Seals stronger than locally available seals.

EXTENSIVELY
USED IN




HOTELS



HOSPITALS



RESIDENTIAL



HIGHLIGHTERS

- Cost-effective.
- World-Class Seals stronger than locally available seals.
- Lighter than conventional C.I. pipes but strong.
- Compatible with other drainage products.
- Easy to install with low assembly force.
- Leak-proof joints.
- Long-term sealing performance.

APPLICATION

- Inside & outside building drainage systems including ventilation.
- Industrial buildings and public utilities.
- Rainwater discharge & harvesting for residential and commercial buildings/complexes.

JOINTING METHOD

- Elastomeric Sealing Ring or Solvent Joint.

Rubber Ring Joint

HSN Code : 3917



Single Socket (3 mtrs)				
Size (mm)	Type A		Type B	
	Code	M.R.P Per Pcs. (₹)	Code	M.R.P Per Pcs. (₹)
75	SW2084	280.25	SW2088	492.12
90	SW2085	431.91	SW2089	762.95
110	SW2086	507.59	SW2090	785.91
160	SW2087	1265.41	SW2091	1710.04

Double Socket (3 mtrs)				
Size (mm)	Type A		Type B	
	Code	M.R.P Per Pcs. (₹)	Code	M.R.P Per Pcs. (₹)
75	SW2092	312.85	SW2096	527.38
90	SW2093	455.45	SW2097	884.40
110	SW2094	535.15	SW2098	949.18
160	SW2095	1540.96	SW2099	1796.04

Single Socket (6 ft)		
Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2100	196.53
90	SW2101	334.53
110	SW2102	352.22

Double Socket (6 ft)		
Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2103	209.43
90	SW2104	359.70
110	SW2105	362.17

Double Socket (4 ft)		
Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2106	162.97
90	SW2107	224.07
110	SW2108	298.26

Double Socket (3 ft)		
Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2109	142.85
90	SW2110	214.69
110	SW2111	244.26

Double Socket (2 ft)		
Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2112	100.19
90	SW2113	155.30
110	SW2114	174.45

Fittings With World Class Seals

HSN Code : 3917



BEND 87.5

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2001	60	54.53
110	SW2002	36	90.17



Double Tee

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2011	45	126.73
110	SW2012	16	197.11



Door BEND 87.5

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2003	48	67.44
110	SW2004	30	114.89



Double Tee door

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2013	-	158.96
110	SW2014	-	287.17



Shoe BEND 45

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2005	80	47.31
110	SW2006	44	79.48



Coupler

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2015	75	42.51
110	SW2016	60	66.66



Single Tee

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2007	72	67.53
110	SW2008	24	120.00



Single Y

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2017	30	89.85
110	SW2018	20	160.65



Single Tee door

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2009	50	83.16
110	SW2010	24	138.38



Single Y door

Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2019	24	108.08
110	SW2020	16	192.98

Fittings With World Class Seals

HSN Code : 3917



Double Y			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2021	-	135.16
110	SW2022	-	218.30



Rubber ring dual			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2030	-	10.30
110	SW2031	-	32.78



Double Y door			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2023	-	163.76
110	SW2024	-	241.96



Reducer Tee Door			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X75	SW2029	28	163.74



Reducer Tee			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X75	SW2028	28	144.02



Nahani Trap Without Jali			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X63	SW2070	50	87.61
110X75	SW2071	50	66.06
110X90	SW2072	50	121.18
110X110	SW2073	40	



Reducer			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X75	SW2027	60	67.98



Cleaning pipe			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2025	82	85.76
110	SW2026	30	150.09



Solvent Joint Pipes

HSN Code : 3917



Single Socket (3 mtrs)

Size (mm)	Type A		Type B	
	Code	M.R.P Per Pcs. (₹)	Code	M.R.P Per Pcs. (₹)
75	SW2115	271.98	SW2119	482.12
90	SW2116	420.39	SW2120	723.92
110	SW2117	499.05	SW2121	775.91
160	SW2118	1223.63	SW2122	1700.04

Double Socket (3 mtrs)

Size (mm)	Type A		Type B	
	Code	M.R.P Per Pcs. (₹)	Code	M.R.P Per Pcs. (₹)
75	SW2123	303.70	SW2127	517.38
90	SW2124	444.54	SW2128	854.01
110	SW2125	525.96	SW2129	788.18
160	SW2126	1153.46	SW2130	1728.68

Single Socket (6 ft)

Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2131	188.13
90	SW2132	314.74
110	SW2133	343.43

Double Socket (6 ft)

Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2134	199.64
90	SW2135	338.43
110	SW2136	381.96

Double Socket (4 ft)

Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2137	151.53
90	SW2138	200.22
110	SW2139	257.57

Double Socket (3 ft)

Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2140	134.39
90	SW2141	196.90
110	SW2142	236.05

Double Socket (2 ft)

Size (mm)	Type A	
	Code	M.R.P Per Pcs. (₹)
75	SW2143	92.79
90	SW2144	149.05
110	SW2145	166.24

Solvent Joint Fittings

HSN Code : 3917



BEND 87.5			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2032	60	40.86
110	SW2033	40	78.22



Door BEND 87.5			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2034	48	56.41
110	SW2035	32	98.40



Shoe BEND 45			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2036	92	37.55
110	SW2037	52	64.75



Single Tee			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2038	72	57.70
110	SW2039	24	99.15



Single Tee door			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2040	50	70.73
110	SW2041	24	120.58



Double Tee			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2042	45	98.72
110	SW2043	16	193.92



Double Tee Door			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2044	-	133.12
110	SW2045	-	245.13



Coupler			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2046	86	32.21
110	SW2047	68	51.96



Single Y			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2048	30	73.92
110	SW2049	20	137.78



Single Y door			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2050	24	88.98
110	SW2051	16	159.25



Double Y			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2052	-	109.65
110	SW2053	-	206.31



Double Y door			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2054	-	136.02
110	SW2055	-	228.54

Solvent Joint Fittings

HSN Code : 3917



Vent cowl			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2056	125	12.34
110	SW2057	65	22.77



Cleaning pipe			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2058	82	66.66
110	SW2059	30	130.97



Pipe clip			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2060	325	12.58
110	SW2061	175	19.28



Door cap			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
75	SW2062	200	49.12
110	SW2063	125	63.46



Reducer coupler			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X75	SW2064	60	58.91



Reducer Tee			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X75	SW2065	28	96.66
160X75	SW2066	--	361.48
160X110	SW2067	--	321.72



Reducer Tee Door			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X75	SW2068	28	105.96
160X110	SW2069	--	540.99



Nahani Trap Without Jali			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X63	SW2070	50	87.61
110X75	SW2071	50	66.06
110X90	SW2072	50	121.18
110X110	SW2073	40	

PVC Solvent Cement			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
25 ml	SW2074	60 X 12	9.50
50 ml	SW2075	40 X 12	17.50
100 ml	SW2076	25 X 12	30.50
250 ml	SW2077	--	69.00
500 ml	SW2078	--	133.50
1000 ml	SW2079	--	247.50

P Trap SWR			
Size (mm)	Code	Std. Packaging	M.R.P/Pc. (₹)
110X110	SW2146	17	229.31
110x125	SW2147	17	275.56

EXTENSIVELY
USED IN



HOTELS



HOSPITALS



RESIDENTIAL



Suki Water Solutions Pvt. Ltd.
D.No:5-2-365, Near Satyanarayana Temple,
Ayyappa Ground. Hyderbasti,
Ranigunj, Secunderabad - 03



www.sukindia.com



+91 933 9483 9987